

Notice of Allowability	Application No.	Applicant(s)
	10/073,870	OKINO ET AL.
	Examiner Jessica L. Rossi	Art Unit 1733

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to Amendment, 5/11/05.
2. The allowed claim(s) is/are 13-22 and 24-32.
3. The drawings filed on 14 May 2004 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date 05262005.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

15
ve

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Cardillo on 5/26/05.

2. The application has been amended as follows:

Claim 13, line 6: "stationery" was deleted and replaced with --stationary--.

Claim 26, line 1: "Withdrawn" was deleted and replaced with --Original--.

Claim 30, line 1: "Withdrawn" was deleted and replaced with --Original--.

3. The following is an examiner's statement of **reasons for allowance**:

With respect to claim 13, the prior art fails to teach or suggest a method of making a double glazing unit by maintaining a fixed distance gap between the first and second glass sheets in the first stage movement apparatus with a **stationary first holder** using a suction force and moving the first and second glass sheets to the second stage movement apparatus using a first driven guide located in the first stage movement apparatus, a second driven guide located in the second stage movement apparatus, **and a suction chuck located on an actuator driven frame**.

The closest art of record was found in JP 10-158041, which was applied in the previous action dated 2/11/05. However, this reference teaches moveable first holder 25 that maintains the fixed distance gap between the glass sheets while moving the glass sheets from the first stage movement apparatus to the second stage movement apparatus (Figure 4; p. 15, [0015], p. 16,

[0018], p. 17-18, [0019-0021] – copy of written translation provided with this office action); therefore, and as pointed out by Applicants in the 3rd paragraph on p. 10 of the remarks dated 5/11/05, the reference fails to teach or suggest maintaining the fixed distance gap with a stationary first holder.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Jessica L. Rossi** whose telephone number is **571-272-1223**. The examiner can normally be reached on M-F (8:00-5:30) First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner’s supervisor, Blaine R. Copenheaver can be reached on 571-272-1156. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>.

Application/Control Number: 10/073,870
Art Unit: 1733

Page 4

Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jessica L. Rossi
Jessica L. Rossi
Primary Examiner
Art Unit 1733